



COMANDANTE ESPORA (SAZB)  
BAHÍA BLANCA

SID RNP RWY 35 R  
DOTRI 1G - MOXAN 1G - PULAS 1G

|                                                  |                                   |                                   |                                      |                        |  |                                                                                                                                     |
|--------------------------------------------------|-----------------------------------|-----------------------------------|--------------------------------------|------------------------|--|-------------------------------------------------------------------------------------------------------------------------------------|
| Requiere Certificación<br>Certification required |                                   |                                   |                                      | AD ELEV <b>248'</b>    |  | <div>03° W (2017)</div>  <div>MSA 25 NM ARP</div> |
| RNP 1 / RNAV 1 GNSS                              |                                   |                                   |                                      | TRANS ALT <b>3000'</b> |  |                                                                                                                                     |
| BAHÍA GND<br><b>121.90</b>                       | BAHÍA TWR<br><b>119.15 118.10</b> | BAHÍA APP<br><b>119.15 118.10</b> | BAHÍA CTL<br><b>124.80</b>           | EMERG<br><b>121.50</b> |  |                                                                                                                                     |
| NOTA: Prohibido virar antes de THR 17L.          |                                   |                                   | RMK: Turn before THL 17L prohibited. |                        |  |                                                                                                                                     |



|           |
|-----------|
| SID: NIL. |
| SID: NIL. |

31 ENERO 2019

| COMANDANTE ESPORA (SAZB) SID RNP RWY 35R |                                |
|------------------------------------------|--------------------------------|
| DOTRI 1G – MOXAN 1G – PULAS 1G           |                                |
| FIX IDENT                                | COORDINATES                    |
| PULAS                                    | 37°58'15.00" S 061°29'06.00" W |
| ZB049                                    | 38°33'24.94" S 062°00'36.99" W |
| ZB734                                    | 38°26'59.29" S 061°59'28.90" W |
| MOXAN                                    | 38°22'18.00" S 061°04'27.00" W |
| ZB731                                    | 38°32'32.01" S 061°06'50.23" W |
| DOTRI                                    | 38°32'24.00" S 061°00'28.00" W |

31 ENERO 2019

| 1/2 COMANDANTE ESPORA (SAZB) SID RNP RWY 35R |           |                 |          |               |               |      |                  |                      |                  |                          |     |                |
|----------------------------------------------|-----------|-----------------|----------|---------------|---------------|------|------------------|----------------------|------------------|--------------------------|-----|----------------|
| DOTRI 1G – MOXAN 1G – PULAS 1G               |           |                 |          |               |               |      |                  |                      |                  |                          |     |                |
| Seq Num                                      | Fix Ident | Path Terminator | Fly Over | Distance (NM) | Course M°(T°) | Turn | Altitude (ft/FL) | Altitude Description | Speed Limit (Kt) | Navigation Specification | RNP | Dec (ARP 2017) |
| 010                                          | N/A       | CA              | N/A      | N/A           | 344 (340.7)   | N/A  | 800              | +                    | N/A              | RNAV 1 or RNP1           | 1.0 | 3 W            |
| 020                                          | ZB734     | DF              | N        | N/A           | N/A           | R    | N/A              | N/A                  | N/A              | RNAV 1 or RNP1           | 1.0 | 3 W            |
| 030                                          | PULAS     | TF              | N        | 37.4          | 044 (039.7)   | N/A  | N/A              | N/A                  | N/A              | RNAV 1 or RNP1           | 1.0 | 3 W            |
| 010                                          | N/A       | CA              | N/A      | N/A           | 344 (340.7)   | N/A  | 800              | +                    | N/A              | RNAV 1 or RNP1           | 1.0 | 3 W            |
| 020                                          | ZB049     | DF              | N        | N/A           | N/A           | R    | N/A              | N/A                  | N/A              | RNAV 1 or RNP1           | 1.0 | 3 W            |
| 030                                          | MOXAN     | TF              | N        | 45.5          | 080 (075.6)   | N/A  | N/A              | N/A                  | N/A              | RNAV 1 or RNP1           | 1.0 | 3 W            |
| 010                                          | N/A       | CA              | N/A      | N/A           | 344 (340.7)   | N/A  | 800              | +                    | N/A              | RNAV 1 or RNP1           | 1.0 | 3 W            |
| 020                                          | ZB049     | DF              | N        | N/A           | N/A           | R    | N/A              | N/A                  | N/A              | RNAV 1 or RNP1           | 1.0 | 3 W            |

31 ENERO 2019


| 2/2 COMANDANTE ESPORA (SAZB) SID RNP RWY 35R |           |                 |          |               |               |      |                  |                      |                  |                          |     |                |
|----------------------------------------------|-----------|-----------------|----------|---------------|---------------|------|------------------|----------------------|------------------|--------------------------|-----|----------------|
| DOTRI 1G – MOXAN 1G – PULAS 1G               |           |                 |          |               |               |      |                  |                      |                  |                          |     |                |
| Seq Num                                      | Fix Ident | Path Terminator | Fly Over | Distance (NM) | Course M°(T°) | Turn | Altitude (ft/FL) | Altitude Description | Speed Limit (Kt) | Navigation Specification | RNP | Dec (ARP 2017) |
| 030                                          | ZB731     | TF              | N        | 42.2          | 093 (088.5)   | N/A  | FL 100           | -                    | N/A              | RNAV 1 or RNP1           | 1.0 | 3 W            |
| 040                                          | DOTRI     | TF              | N        | 5.0           | 093 (088.4)   | N/A  | N/A              | N/A                  | N/A              | RNAV 1 or RNP1           | 1.0 | 3 W            |

31 ENERO 2019

COMANDANTE ESPORA (SAZB)  
BAHÍA BLANCA

AKNOS 1G - DAMIN 1G - GENAX 1G - KIMID 1G - SANBU 1G

SID RNP RWY 35 R



PANS OPS Cambios: Nueva carta.

DISEÑO EANA S.E. - NAVEGACIÓN AEREA ARGENTINA

31 ENERO 2019

| COMANDANTE ESPORA (SAZB) SID RNP RWY 35R             |                                |
|------------------------------------------------------|--------------------------------|
| AKNOS 1G – DAMIN 1G – GENAX 1G – KIMID 1G – SANBU 1G |                                |
| FIX IDENT                                            | COORDINATES                    |
| ZB733                                                | 38°41'55.30" S 062°20'37.02" W |
| ZB732                                                | 38°56'53.04" S 062°24'33.65" W |
| SANBU                                                | 39°30'19.00" S 062°39'58.00" W |
| ZB713                                                | 38°29'07.77" S 062°23'50.58" W |
| AKNOS                                                | 38°00'05.00" S 062°53'04.00" W |
| ZB714                                                | 38°44'37.88" S 062°32'25.82" W |
| DAMIN                                                | 38°47'21.00" S 063°19'50.00" W |
| ZB728                                                | 38°49'55.93" S 062°30'51.01" W |
| GENAX                                                | 39°03'37.00" S 063°15'07.00" W |
| ZB717                                                | 38°53'21.59" S 062°28'30.98" W |
| KIMID                                                | 39°22'22.00" S 063°23'52.00" W |

31 ENERO 2019

| 1/3 COMANDANTE ESPORA (SAZB) SID RNP RWY 35R         |           |                 |          |               |               |      |                  |                      |                  |                          |     |                |
|------------------------------------------------------|-----------|-----------------|----------|---------------|---------------|------|------------------|----------------------|------------------|--------------------------|-----|----------------|
| AKNOS 1G – DAMIN 1G – GENAX 1G – KIMID 1G – SANBU 1G |           |                 |          |               |               |      |                  |                      |                  |                          |     |                |
| Seq Num                                              | Fix Ident | Path Terminator | Fly Over | Distance (NM) | Course M°(T°) | Turn | Altitude (ft/FL) | Altitude Description | Speed Limit (Kt) | Navigation Specification | RNP | Dec (ARP 2017) |
| 010                                                  | N/A       | CA              | N/A      | N/A           | 344 (340.7)   | N/A  | 800              | +                    | -250             | RNAV 1 or RNP1           | 1.0 | 3 W            |
| 020                                                  | ZB733     | DF              | N        | N/A           | N/A           | L    | N/A              | N/A                  | -250             | RNAV 1 or RNP1           | 1.0 | 3 W            |
| 030                                                  | ZB732     | TF              | N        | 15.3          | 194 (191.7)   | N/A  | N/A              | N/A                  | N/A              | RNAV 1 or RNP1           | 1.0 | 3 W            |
| 040                                                  | SANBU     | TF              | N        | 35.5          | 202 (199.8)   | N/A  | N/A              | N/A                  | N/A              | RNAV 1 or RNP1           | 1.0 | 3 W            |
| 010                                                  | N/A       | CA              | N/A      | N/A           | 344 (340.7)   | N/A  | 800              | +                    | N/A              | RNAV 1 or RNP1           | 1.0 | 3 W            |
| 020                                                  | ZB713     | DF              | N        | N/A           | N/A           | L    | N/A              | N/A                  | N/A              | RNAV 1 or RNP1           | 1.0 | 3 W            |
| 030                                                  | AKNOS     | TF              | N        | 37.0          | 325 (321.7)   | N/A  | N/A              | N/A                  | N/A              | RNAV 1 or RNP1           | 1.0 | 3 W            |
| 010                                                  | N/A       | CA              | N/A      | N/A           | 344 (340.7)   | N/A  | 800              | +                    | -250             | RNAV 1 or RNP1           | 1.0 | 3 W            |

31 ENERO 2019

| 2/3 COMANDANTE ESPORA (SAZB) SID RNP RWY 35R         |           |                 |          |               |               |      |                  |                      |                  |                          |     |                |
|------------------------------------------------------|-----------|-----------------|----------|---------------|---------------|------|------------------|----------------------|------------------|--------------------------|-----|----------------|
| AKNOS 1G – DAMIN 1G – GENAX 1G – KIMID 1G – SANBU 1G |           |                 |          |               |               |      |                  |                      |                  |                          |     |                |
| Seq Num                                              | Fix Ident | Path Terminator | Fly Over | Distance (NM) | Course M°(T°) | Turn | Altitude (ft/FL) | Altitude Description | Speed Limit (Kt) | Navigation Specification | RNP | Dec (ARP 2017) |
| 020                                                  | ZB733     | DF              | N        | N/A           | N/A           | L    | N/A              | N/A                  | -250             | RNAV 1 or RNP1           | 1.0 | 3 W            |
| 030                                                  | ZB714     | TF              | N        | 9.6           | 256 (253.7)   | N/A  | N/A              | N/A                  | N/A              | RNAV 1 or RNP1           | 1.0 | 3 W            |
| 040                                                  | DAMIN     | TF              | N        | 37.2          | 268 (266.1)   | N/A  | N/A              | N/A                  | N/A              | RNAV 1 or RNP1           | 1.0 | 3 W            |
| 010                                                  | N/A       | CA              | N/A      | N/A           | 344 (340.7)   | N/A  | 800              | +                    | -250             | RNAV 1 or RNP1           | 1.0 | 3 W            |
| 020                                                  | ZB733     | DF              | N        | N/A           | N/A           | L    | N/A              | N/A                  | -250             | RNAV 1 or RNP1           | 1.0 | 3 W            |
| 030                                                  | ZB728     | TF              | N        | 11.3          | 228 (225.1)   | N/A  | N/A              | N/A                  | N/A              | RNAV 1 or RNP1           | 1.0 | 3 W            |
| 040                                                  | GENAX     | TF              | N        | 37.1          | 250 (248.6)   | N/A  | N/A              | N/A                  | N/A              | RNAV 1 or RNP1           | 1.0 | 3 W            |
| 010                                                  | N/A       | CA              | N/A      | N/A           | 344 (340.7)   | N/A  | 800              | +                    | -250             | RNAV 1 or RNP1           | 1.0 | 3 W            |


31 ENERO 2019



| 3/3 COMANDANTE ESPORA (SAZB) SID RNP RWY 35R         |           |                 |          |               |               |      |                  |                      |                  |                          |     |                |
|------------------------------------------------------|-----------|-----------------|----------|---------------|---------------|------|------------------|----------------------|------------------|--------------------------|-----|----------------|
| AKNOS 1G – DAMIN 1G – GENAX 1G – KIMID 1G – SANBU 1G |           |                 |          |               |               |      |                  |                      |                  |                          |     |                |
| Seq Num                                              | Fix Ident | Path Terminator | Fly Over | Distance (NM) | Course M°(T°) | Turn | Altitude (ft/FL) | Altitude Description | Speed Limit (Kt) | Navigation Specification | RNP | Dec (ARP 2017) |
| 020                                                  | ZB733     | DF              | N        | N/A           | N/A           | L    | N/A              | N/A                  | -250             | RNAV 1 or RNP1           | 1.0 | 3 W            |
| 030                                                  | ZB717     | TF              | N        | 13.0          | 211 (208.4)   | N/A  | N/A              | N/A                  | N/A              | RNAV 1 or RNP1           | 1.0 | 3 W            |
| 040                                                  | KIMID     | TF              | N        | 51.9          | 238 (236.4)   | N/A  | N/A              | N/A                  | N/A              | RNAV 1 or RNP1           | 1.0 | 3 W            |

31 ENERO 2019

COMANDANTE ESPORA (SAZB)  
BAHÍA BLANCA

SID RNP RWY 17L  
DOTRI 1C - MOXAN 1C - PULAS 1C

|                                                  |                                   |                                   |                                      |                        |  |                                                                                                                                     |
|--------------------------------------------------|-----------------------------------|-----------------------------------|--------------------------------------|------------------------|--|-------------------------------------------------------------------------------------------------------------------------------------|
| Requiere Certificación<br>Certification required |                                   |                                   |                                      | AD ELEV <b>248'</b>    |  | <div>03° W (2017)</div>  <div>MSA 25 NM ARP</div> |
| RNP 1 / RNAV 1 GNSS                              |                                   |                                   |                                      | TRANS ALT <b>3000'</b> |  |                                                                                                                                     |
| BAHÍA GND<br><b>121.90</b>                       | BAHÍA TWR<br><b>119.15 118.10</b> | BAHÍA APP<br><b>119.15 118.10</b> | BAHÍA CTL<br><b>124.80</b>           | EMERG<br><b>121.50</b> |  |                                                                                                                                     |
| NOTA: Prohibido virar antes de THR 35R.          |                                   |                                   | RMK: Turn before THR 35R prohibited. |                        |  |                                                                                                                                     |



|                                                                     |
|---------------------------------------------------------------------|
| SID RWY 17L:                                                        |
| DOTRI 1C - MOXAN 1C: Pendiente mínima de ascenso 5.5% hasta 800 ft. |
| PULAS 1C: Pendiente mínima de ascenso 5.5% hasta ZB043.             |
| SID RWY 17L:                                                        |
| DOTRI 1C - MOXAN 1C: Minimum climb gradient 5.5% until 800 ft.      |
| PULAS 1C: Minimum climb gradient 5.5% to ZB043.                     |

31 ENERO 2019

| COMANDANTE ESPORA (SAZB) SID RNP RWY 17L |                                |
|------------------------------------------|--------------------------------|
| DOTRI 1C – MOXAN 1C – PULAS 1C           |                                |
| FIX IDENT                                | COORDINATES                    |
| DOTRI                                    | 38°32'24.00" S 061°00'28.00" W |
| MOXAN                                    | 38°22'18.00" S 061°04'27.00" W |
| PULAS                                    | 37°58'15.00" S 061°29'06.00" W |
| ZB042                                    | 38°41'28.77" S 061°58'10.91" W |
| ZB043                                    | 38°34'43.71" S 061°53'35.79" W |

31 ENERO 2019

| 1/2 COMANDANTE ESPORA (SAZB) SID RNP RWY 17L |           |                 |          |               |               |      |                  |                      |                  |                          |     |                |
|----------------------------------------------|-----------|-----------------|----------|---------------|---------------|------|------------------|----------------------|------------------|--------------------------|-----|----------------|
| DOTRI 1C – MOXAN 1C – PULAS 1C               |           |                 |          |               |               |      |                  |                      |                  |                          |     |                |
| Seq Num                                      | Fix Ident | Path Terminator | Fly Over | Distance (NM) | Course M°(T°) | Turn | Altitude (ft/FL) | Altitude Description | Speed Limit (Kt) | Navigation Specification | RNP | Dec (ARP 2017) |
| 010                                          | N/A       | CA              | N/A      | N/A           | 167 (163.7)   | N/A  | 800              | +                    | - 250            | RNAV 1 or RNP1           | 1.0 | 3 W            |
| 020                                          | ZB042     | DF              | Y        | N/A           | N/A           | N/A  | L                | N/A                  | - 250            | RNAV 1 or RNP1           | 1.0 | 3 W            |
| 030                                          | ZB043     | TF              | N        | 7.6           | 031 (028.0)   | N/A  | FL 080           | +                    | N/A              | RNAV 1 or RNP1           | 1.0 | 3 W            |
| 040                                          | PULAS     | TF              | N        | 41.2          | 032 (027.8)   | N/A  | N/A              | N/A                  | N/A              | RNAV 1 or RNP1           | 1.0 | 3 W            |
| 010                                          | N/A       | CA              | N/A      | N/A           | 167 (163.7)   | N/A  | 800              | +                    | - 250            | RNAV 1 or RNP1           | 1.0 | 3 W            |
| 020                                          | ZB042     | DF              | Y        | N/A           | N/A           | L    | N/A              | N/A                  | - 250            | RNAV 1 or RNP1           | 1.0 | 3 W            |
| 030                                          | MOXAN     | TF              | N        | 46.3          | 070 (065.3)   | N/A  | N/A              | N/A                  | N/A              | RNAV 1 or RNP1           | 1.0 | 3 W            |
| 010                                          | N/A       | CA              | N/A      | N/A           | 167 (163.7)   | N/A  | 800              | +                    | - 250            | RNAV 1 or RNP1           | 1.0 | 3 W            |

31 ENERO 2019

| 2/2 COMANDANTE ESPORA (SAZB) SID RNP RWY 17L |           |                 |          |               |               |      |                  |                      |                  |                          |     |                |
|----------------------------------------------|-----------|-----------------|----------|---------------|---------------|------|------------------|----------------------|------------------|--------------------------|-----|----------------|
| DOTRI 1C – MOXAN 1C – PULAS 1C               |           |                 |          |               |               |      |                  |                      |                  |                          |     |                |
| Seq Num                                      | Fix Ident | Path Terminator | Fly Over | Distance (NM) | Course M°(T°) | Turn | Altitude (ft/FL) | Altitude Description | Speed Limit (Kt) | Navigation Specification | RNP | Dec (ARP 2017) |
| 020                                          | ZB042     | DF              | Y        | N/A           | N/A           | L    | N/A              | N/A                  | - 250            | RNAV 1 or RNP1           | 1.0 | 3 W            |
| 030                                          | DOTRI     | TF              | N        | 46.1          | 083 (078.4)   | N/A  | N/A              | N/A                  | N/A              | RNAV 1 or RNP1           | 1.0 | 3 W            |



31 ENERO 2019

COMANDANTE ESPORA (SAZB)  
BAHÍA BLANCA

AKNOS 1C - DAMIN 1C - GENAX 1C - KIMID 1C - SANBU 1C

SID RNP RWY 17L

|                                                  |                            |                            |                                      |           |        |
|--------------------------------------------------|----------------------------|----------------------------|--------------------------------------|-----------|--------|
| Requiere Certificación<br>Certification required |                            |                            |                                      | AD ELEV   | 248'   |
| RNP 1 / RNAV 1 GNSS                              |                            |                            |                                      | TRANS ALT | 3000'  |
| BAHÍA GND<br>121.90                              | BAHÍA TWR<br>119.15 118.10 | BAHÍA APP<br>119.15 118.10 | BAHÍA CTL<br>124.80                  | EMERG     | 121.50 |
| NOTA: Prohibido virar antes de THR 35R.          |                            |                            | RMK: Turn before THR 35R prohibited. |           |        |



SID RWY 17L:  
AKNOS 1C - DAMIN 1C - GENAX 1C - KIMID 1C - SANBU 1C: Pendiente mínima de ascenso 5.0% hasta 800 ft.

SID RWY 17L:  
AKNOS 1C - DAMIN 1C - GENAX 1C - KIMID 1C - SANBU 1C: Minimum climb gradient 5.0% until 800 ft.

| COMANDANTE ESPORA (SAZB) SID RNP RWY 17L             |                                |
|------------------------------------------------------|--------------------------------|
| AKNOS 1C - DAMIN 1C - GENAX 1C - KIMID 1C - SANBU 1C |                                |
| FIX IDENT                                            | COORDINATES                    |
| ZB058                                                | 38°49'22.44" S 062°19'43.09" W |
| ZB723                                                | 39°00'27.99" S 062°16'05.02" W |
| SANBU                                                | 39°30'19.00" S 062°39'58.00" W |
| ZB714                                                | 38°44'37.88" S 062°32'25.82" W |
| DAMIN                                                | 38°47'21.00" S 063°19'50.00" W |
| ZB728                                                | 38°49'55.93" S 062°30'51.01" W |
| GENAX                                                | 39°03'37.00" S 063°15'07.00" W |
| ZB717                                                | 38°53'21.59" S 062°28'30.98" W |
| KIMID                                                | 39°22'22.00" S 063°23'52.00" W |
| ZB713                                                | 38°29'07.77" S 062°23'50.58" W |
| AKNOS                                                | 38°00'05.00" S 062°53'04.00" W |

31 ENERO 2019

| 1/3 COMANDANTE ESPORA (SAZB) SID RNP RWY 17L         |           |                 |          |               |               |      |                  |                      |                  |                          |     |                |
|------------------------------------------------------|-----------|-----------------|----------|---------------|---------------|------|------------------|----------------------|------------------|--------------------------|-----|----------------|
| AKNOS 1C - DAMIN 1C - GENAX 1C - KIMID 1C - SANBU 1C |           |                 |          |               |               |      |                  |                      |                  |                          |     |                |
| Seq Num                                              | Fix Ident | Path Terminator | Fly Over | Distance (NM) | Course M°(T°) | Turn | Altitude (ft/FL) | Altitude Description | Speed Limit (Kt) | Navigation Specification | RNP | Dec (ARP 2017) |
| 010                                                  | N/A       | CA              | N/A      | N/A           | 167 (163.7)   | N/A  | 800              | +                    | -210             | RNAV1 or RNP1            | 1.0 | 3 W            |
| 020                                                  | ZB058     | CF              | N        | N/A           | 263 (260.0)   | N/A  | N/A              | N/A                  | -210             | RNAV1 or RNP1            | 1.0 | 3 W            |
| 030                                                  | ZB723     | TF              | N        | 11.4          | 168 (165.6)   | N/A  | N/A              | N/A                  | -230             | RNAV1 or RNP1            | 1.0 | 3 W            |
| 040                                                  | SANBU     | TF              | N        | 35.1          | 214 (212.0)   | N/A  | N/A              | N/A                  | N/A              | RNAV1 or RNP1            | 1.0 | 3 W            |
| 010                                                  | N/A       | CA              | N/A      | N/A           | 167 (163.7)   | N/A  | 800              | +                    | -210             | RNAV1 or RNP1            | 1.0 | 3 W            |
| 020                                                  | ZB058     | CF              | N        | N/A           | 263 (260.0)   | N/A  | N/A              | N/A                  | -210             | RNAV1 or RNP1            | 1.0 | 3 W            |
| 030                                                  | ZB714     | TF              | N        | 11.0          | 298 (295.6)   | N/A  | N/A              | N/A                  | N/A              | RNAV1 or RNP1            | 1.0 | 3 W            |
| 040                                                  | DAMIN     | TF              | N        | 37.2          | 268 (266.1)   | N/A  | N/A              | N/A                  | N/A              | RNAV1 or RNP1            | 1.0 | 3 W            |

31 ENERO 2019

| 2/3 COMANDANTE ESPORA (SAZB) SID RNP RWY 17L         |           |                 |          |               |               |      |                  |                      |                  |                          |     |                |
|------------------------------------------------------|-----------|-----------------|----------|---------------|---------------|------|------------------|----------------------|------------------|--------------------------|-----|----------------|
| AKNOS 1C - DAMIN 1C - GENAX 1C - KIMID 1C - SANBU 1C |           |                 |          |               |               |      |                  |                      |                  |                          |     |                |
| Seq Num                                              | Fix Ident | Path Terminator | Fly Over | Distance (NM) | Course M°(T°) | Turn | Altitude (ft/FL) | Altitude Description | Speed Limit (Kt) | Navigation Specification | RNP | Dec (ARP 2017) |
| 010                                                  | N/A       | CA              | N/A      | N/A           | 167 (163.7)   | N/A  | 800              | +                    | -210             | RNAV1 or RNP1            | 1.0 | 3 W            |
| 020                                                  | ZB058     | CF              | N        | N/A           | 263 (260.0)   | N/A  | N/A              | N/A                  | -210             | RNAV1 or RNP1            | 1.0 | 3 W            |
| 030                                                  | ZB728     | TF              | N        | 8.7           | 269 (266.4)   | N/A  | N/A              | N/A                  | N/A              | RNAV1 or RNP1            | 1.0 | 3 W            |
| 040                                                  | GENAX     | TF              | N        | 37.1          | 250 (248.6)   | N/A  | N/A              | N/A                  | N/A              | RNAV1 or RNP1            | 1.0 | 3 W            |
| 010                                                  | N/A       | CA              | N/A      | N/A           | 167 (163.7)   | N/A  | 800              | +                    | -210             | RNAV1 or RNP1            | 1.0 | 3 W            |
| 020                                                  | ZB058     | CF              | N        | N/A           | 263 (260.0)   | N/A  | N/A              | N/A                  | -210             | RNAV1 or RNP1            | 1.0 | 3 W            |
| 030                                                  | ZB717     | TF              | N        | 7.9           | 243 (240.0)   | N/A  | N/A              | N/A                  | N/A              | RNAV1 or RNP1            | 1.0 | 3 W            |
| 040                                                  | KIMID     | TF              | N        | 51.9          | 238 (236.4)   | N/A  | N/A              | N/A                  | N/A              | RNAV1 or RNP1            | 1.0 | 3 W            |

31 ENERO 2019

| 3/3 COMANDANTE ESPORA (SAZB) SID RNP RWY 17L         |           |                 |          |               |               |      |                  |                      |                  |                          |     |                |
|------------------------------------------------------|-----------|-----------------|----------|---------------|---------------|------|------------------|----------------------|------------------|--------------------------|-----|----------------|
| AKNOS 1C - DAMIN 1C - GENAX 1C - KIMID 1C - SANBU 1C |           |                 |          |               |               |      |                  |                      |                  |                          |     |                |
| Seq Num                                              | Fix Ident | Path Terminator | Fly Over | Distance (NM) | Course M°(T°) | Turn | Altitude (ft/FL) | Altitude Description | Speed Limit (Kt) | Navigation Specification | RNP | Dec (ARP 2017) |
| 010                                                  | N/A       | CA              | N/A      | N/A           | 167 (163.7)   | N/A  | 800              | +                    | -210             | RNAV1 or RNP1            | 1.0 | 3 W            |
| 020                                                  | ZB058     | CF              | N        | N/A           | 263 (260.0)   | N/A  | N/A              | N/A                  | -210             | RNAV1 or RNP1            | 1.0 | 3 W            |
| 030                                                  | ZB713     | TF              | N        | 20.5          | 354 (350.9)   | N/A  | N/A              | N/A                  | -230             | RNAV1 or RNP1            | 1.0 | 3 W            |
| 040                                                  | AKNOS     | TF              | N        | 37.0          | 325 (321.7)   | N/A  | N/A              | N/A                  | N/A              | RNAV1 or RNP1            | 1.0 | 3 W            |

31 ENERO 2019