



PRESIDENTE PERÓN (SAZN)
NEUQUÉN

STAR RNP RWY 09
PORPA 4U - ARTOK 1U - ILTOS 4U

Requiere Certificación Certification required		AD ELEV	891'
RNP 1 / RNAV 1 GNSS		TRANS ALT	10000'
ATIS 127.65	NEUQUÉN TWR 119.80 - 118.85		EMERG 121.50
NOTA: Nivel de Transición asignado por ATC.		NOTE: Transition level assigned by ATC.	





1/1 PRESIDENTE PERÓN (SAZN) STAR RNP RWY 09 PORPA 4U - ARTOK 1U - ILTOS 4U											
Seq Num	Fix Ident	Coordinates	Path Terminator	Fly Over	Distance (NM)	Course M°(T°)	Turn	Alt / Descr (ft/FL)	Speed Limit (Kt)	Navigation Specification	RNP
10	PORPA	S 39°10'27.00" W 068°43'50.00"	IF	N	N/A	N/A	N/A	N/A	N/A	RNAV 1 or RNP 1	1.0
20	BUTAR	S 38°56'51.00" W 068°31'00.00"	TF	N	16.9	034 (036.4)	N/A	+5000	-220	RNAV 1 or RNP 1	1.0
10	ARTOK	S 39°17'54.00" W 068°37'02.00"	IF	N	N/A	N/A	N/A	N/A	N/A	RNAV 1 or RNP 1	1.0
20	BUTAR	S 38°56'51.00" W 068°31'00.00"	TF	N	21.6	011 (012.6)	N/A	+5000	-220	RNAV 1 or RNP 1	1.0
10	ILTOS	S 39°26'57.00" W 068°06'38.00"	IF	N	N/A	N/A	N/A	N/A	N/A	RNAV 1 or RNP 1	1.0
20	LUVDU	S 39°02'37.98" W 068°23'38.29"	TF	N	27.7	329 (331.4)	N/A	+5000	-220	RNAV 1 or RNP 1	1.0

Fecha de diseño: FEB 2025

PRESIDENTE PERÓN (SAZN)
NEUQUÉN

STAR RNP RWY 09
UGAGI 2U - KOTOG 4U - OSEKO 4U - TIMDO 1U - TIMDO 1V

Requiere Certificación Certification required		AD ELEV 891'	
RNP 1 / RNAV 1 GNSS		TRANS ALT 10000'	
ATIS 127.65	EZEIZA SUR ACC 133.35 - 125.20 - 124.10 - 133.95	NEUQUÉN TWR 119.80 - 118.85	EMERG 121.50
NOTA: Nivel de Transición asignado por ATC.		NOTE: Transition level assigned by ATC.	



1/2 PRESIDENTE PERÓN (SAZN) STAR RNP RWY 09 UGAGI 2U - KOTOG 4U - OSEKO 4U - TIMDO 1U - TIMDO 1V											
Seq Num	Fix Ident	Coordinates	Path Terminator	Fly Over	Distance (NM)	Course M°(T°)	Turn	Alt / Descr (ft/FL)	Speed Limit (Kt)	Navigation Specification	RNP
10	OSEKO	S 38°29'33.00" W 067°53'50.00"	IF	N	N/A	N/A	N/A	N/A	N/A	RNAV 1 or RNP 1	1.0
20	ASDEP	S 38°50'52.67" W 068°23'15.17"	TF	N	31.4	225 (227.1)	N/A	+5000	-220	RNAV 1 or RNP 1	1.0
10	UGAGI	S 38°39'08.00" W 068°40'11.00"	IF	N	N/A	N/A	N/A	N/A	N/A	RNAV 1 or RNP 1	1.0
20	BUTAR	S 38°56'51.00" W 068°31'00.00"	TF	N	19.1	156 (157.9)	N/A	+5000	-220	RNAV 1 or RNP 1	1.0
10	TIMDO	S 38°34'43.00" W 066°26'16.00"	IF	N	N/A	N/A	N/A	N/A	N/A	RNAV 1 or RNP 1	1.0
20	ZN816	S 38°48'25.23" W 067°06'40.71"	TF	N	34.5	247 (246.5)	N/A	N/A	N/A	RNAV 1 or RNP 1	1.0
30	ROPON	S 38°56'25.00" W 067°30'43.00"	TF	N	20.4	246 (246.8)	N/A	N/A	N/A	RNAV 1 or RNP 1	1.0
40	ANROR	S 39°02'43.74" W 067°49'56.14"	TF	N	16.3	246 (247.1)	N/A	+6000	N/A	RNAV 1 or RNP 1	1.0
50	LUVDU	S 39°02'37.98" W 068°23'38.29"	TF	N	26.3	269 (270.0)	N/A	+5000	-220	RNAV 1 or RNP 1	1.0
10	KOTOG	S 38°27'03.00" W 068°11'01.00"	IF	N	N/A	N/A	N/A	N/A	N/A	RNAV 1 or RNP 1	1.0

Fecha de diseño: FEB 2025



2/2 PRESIDENTE PERÓN (SAZN) STAR RNP RWY 09 UGAGI 2U - KOTOG 4U - OSEKO 4U - TIMDO 1U - TIMDO 1V											
Seq Num	Fix Ident	Coordinates	Path Terminator	Fly Over	Distance (NM)	Course M°(T°)	Turn	Alt / Descr (ft/FL)	Speed Limit (Kt)	Navigation Specification	RNP
20	ASDEP	S 38°50'52.67" W 068°23'15.17"	TF	N	25.7	200 (201.9)	N/A	+5000	-220	RNAV 1 or RNP 1	1.0
10	TIMDO	S 38°34'43.00" W 066°26'16.00"	IF	N	N/A	N/A	N/A	N/A	N/A	RNAV 1 or RNP 1	1.0
20	ZN816	S 38°48'25.23" W 067°06'40.71"	TF	N	34.5	247 (246.5)	N/A	N/A	N/A	RNAV 1 or RNP 1	1.0
30	ZN817	S 38°49'19.86" W 067°32'08.80"	TF	N	19.9	267 (267.2)	N/A	+FL150	N/A	RNAV 1 or RNP 1	1.0
40	UKDOS	S 38°50'06.45" W 067°56'15.74"	TF	N	18.9	266 (267.5)	N/A	+10000	N/A	RNAV 1 or RNP 1	1.0
50	ASDEP	S 38°50'52.67" W 068°23'15.17"	TF	N	21.1	266 (267.8)	N/A	+5000	-220	RNAV 1 or RNP 1	1.0

Fecha de diseño: FEB 2025

PRESIDENTE PERÓN (SAZN)
NEUQUÉN

STAR RNP RWY 27
PORPA 1Q - ARTOK 1Q - ILTOS 3Q

Requiere Certificación Certification required			AD ELEV	891'
RNP 1 / RNAV 1 GNSS			TRANS ALT	10000'
ATIS 127.65	NEUQUÉN TWR 119.80 - 118.85		EMERG	121.50
NOTA: Nivel de Transición asignado por ATC.		NOTE: Transition level assigned by ATC.		





1/1 PRESIDENTE PERÓN (SAZN) STAR RNP RWY 27 PORPA 1 Q - ARTOK 1Q - ILTOS 3Q											
Seq Num	Fix Ident	Coordinates	Path Terminator	Fly Over	Distance (NM)	Course M°(T°)	Turn	Alt / Descr (ft/FL)	Speed Limit (Kt)	Navigation Specification	RNP
10	PORPA	S 39°10'27.00" W 068°43'50.00"	IF	N	N/A	N/A	N/A	N/A	N/A	RNAV 1 or RNP 1	1.0
20	ESADA	S 39°03'13.84" W 067°55'20.52"	TF	N	38.4	077 (079.4)	N/A	+5000	-220	RNAV 1 or RNP 1	1.0
10	ARTOK	S 39°17'54.00" W 068°37'02.00"	IF	N	N/A	N/A	N/A	N/A	N/A	RNAV 1 or RNP 1	1.0
20	ESADA	S 39°03'13.84" W 067°55'20.52"	TF	N	35.6	064 (065.9)	N/A	+5000	-220	RNAV 1 or RNP 1	1.0
10	ILTOS	S 39°26'57.00" W 068°06'38.00"	IF	N	N/A	N/A	N/A	N/A	N/A	RNAV 1 or RNP 1	1.0
20	ESADA	S 39°03'13.84" W 067°55'20.52"	TF	N	25.3	018 (020.4)	N/A	+5000	-220	RNAV 1 or RNP 1	1.0

Fecha de diseño: FEB 2025

PRESIDENTE PERÓN (SAZN)
NEUQUÉN

STAR RNP RWY 27
UGAGI 1Q - KOTOG 3Q - OSEKO 1Q - ROPON 3Q

Requiere Certificación Certification required		AD ELEV	891'
RNP 1 / RNAV 1 GNSS		TRANS ALT	10000'
ATIS 127.65	NEUQUÉN TWR 119.80 - 118.85		EMERG 121.50
NOTA: Nivel de Transición asignado por ATC.		NOTE: Transition level assigned by ATC.	



1/1 PRESIDENTE PERÓN (SAZN) STAR RNP RWY 27 UGAGI 1Q - KOTOG 3Q - OSEKO 1Q - ROPON 3Q											
Seq Num	Fix Ident	Coordinates	Path Terminator	Fly Over	Distance (NM)	Course M°(T°)	Turn	Alt / Descr (ft/FL)	Speed Limit (Kt)	Navigation Specification	RNP
10	ROPON	S 38°56'25.00" W 067°30'43.00"	IF	N	N/A	N/A	N/A	N/A	N/A	RNAV 1 or RNP 1	1.0
20	MAKBI	S 38°56'43.66" W 067°48'46.81"	TF	N	14.1	268 (268.6)	N/A	+5000	-220	RNAV 1 or RNP 1	1.0
10	OSEKO	S 38°29'33.00" W 067°53'50.00"	IF	N	N/A	N/A	N/A	N/A	N/A	RNAV 1 or RNP 1	1.0
20	ZN851	S 38°41'55.30" W 067°54'41.65"	TF	N	12.4	182 (183.1)	N/A	-6000	N/A	RNAV 1 or RNP 1	1.0
30	PORGU	S 38°50'52.52" W 067°55'19.22"	TF	N	9.0	182 (183.1)	N/A	+5000	-220	RNAV 1 or RNP 1	1.0
10	KOTOG	S 38°27'03.00" W 068°11'01.00"	IF	N	N/A	N/A	N/A	N/A	N/A	RNAV 1 or RNP 1	1.0
20	ZN901	S 38°41'22.52" W 068°01'36.16"	TF	N	16.1	151 (152.8)	N/A	-6000	N/A	RNAV 1 or RNP 1	1.0
30	PORGU	S 38°50'52.52" W 067°55'19.22"	TF	N	10.7	151 (152.7)	N/A	+5000	-220	RNAV 1 or RNP 1	1.0
10	UGAGI	S 38°39'08.00" W 068°40'11.00"	IF	N	N/A	N/A	N/A	N/A	N/A	RNAV 1 or RNP 1	1.0
20	PORGU	S 38°50'52.52" W 067°55'19.22"	TF	N	37.0	107 (108.7)	N/A	+5000	-220	RNAV 1 or RNP 1	1.0

Fecha de diseño: FEB 2025