

P. C. N. FERNÁNDEZ (SAWG)
RÍO GALLEGOS


STAR RNP RWY 26
DEVIS 3R - ORABO 1R - KADEB 3R - IRAVU 3R - MUBES 3R

Requiere Certificación Certification required			AD ELEV	57'
RNP 1 / RNAV 1 GNSS			TRANS ALT	3000'
ATIS	GALLEGOS CTL	GALLEGOS TWR	EMERG	
127.60	124.70 128.80	119.40 118.80	121.50	
NOTA: Nivel de Transición asignado por ATC.			NOTE: Transition Level assigned by ATC.	

11° E (2026)

3000'

MSA 25 NM ARP



1/2 P. C. N. FERNÁNDEZ (SAWG) STAR RNP RWY 26 DEVIS 3R - ORABO 1R - KADEB 3R - IRAVU 3R - MUBES 3R

Seq Num	Fix Ident	Coordinates	Path Terminator	Fly Over	Distance (NM)	Course M°(T°)	Turn	Alt / Descr (ft/FL)	Speed Limit (Kt)	Navigation Specification	RNP
10	IRAVU	S 50°46'05.00" W 068°45'19.00"	IF	N	N/A	N/A	N/A	N/A	N/A	RNAV 1 or RNP 1	1.0
20	ROLOX	S 51°21'02.08" W 068°56'00.44"	TF	N	35.6	181 (190.8)	N/A	N/A	N/A	RNAV 1 or RNP 1	1.0
30	SIPUR	S 51°30'50.73" W 068°59'03.33"	TF	N	10.0	181 (191.0)	N/A	+3000	-220	RNAV 1 or RNP 1	1.0
10	KADEB	S 50°43'05.00" W 068°59'56.00"	IF	N	N/A	N/A	N/A	N/A	N/A	RNAV 1 or RNP 1	1.0
20	WG136	S 50°55'07.23" W 068°58'41.97"	TF	N	12.1	166 (176.3)	N/A	N/A	N/A	RNAV 1 or RNP 1	1.0
30	ROLOX	S 51°21'02.08" W 068°56'00.44"	TF	N	26.0	166 (176.3)	N/A	N/A	N/A	RNAV 1 or RNP 1	1.0
40	SIPUR	S 51°30'50.73" W 068°59'03.33"	TF	N	10.0	181 (191.0)	N/A	+3000	-220	RNAV 1 or RNP 1	1.0
10	DEVIS	S 51°03'19.00" W 070°29'50.00"	IF	N	N/A	N/A	N/A	N/A	N/A	RNAV 1 or RNP 1	1.0
20	WG157	S 51°15'59.34" W 069°23'32.28"	TF	N	43.6	096 (107.3)	N/A	N/A	N/A	RNAV 1 or RNP 1	1.0
30	ROLOX	S 51°21'02.08" W 068°56'00.44"	TF	N	18.0	096 (106.5)	N/A	N/A	N/A	RNAV 1 or RNP 1	1.0

Fecha de diseño: DIC 2025


**2/2 P. C. N. FERNÁNDEZ (SAWG) STAR RNP RWY 26
DEVIS 3R - ORABO 1R - KADEB 3R - IRAVU 3R - MUBES 3R**


Seq Num	Fix Ident	Coordinates	Path Terminator	Fly Over	Distance (NM)	Course M°(T°)	Turn	Alt / Descr (ft/FL)	Speed Limit (Kt)	Navigation Specification	RNP
40	SIPUR	S 51°30'50.73" W 068°59'03.33"	TF	N	10.0	181 (191.0)	N/A	+3000	-220	RNAV 1 or RNP 1	1.0
10	MUBES	S 52°48'09.00" W 068°28'45.00"	IF	N	N/A	N/A	N/A	N/A	N/A	RNAV 1 or RNP 1	1.0
20	ILTIP	S 52°13'18.00" W 068°54'02.00"	TF	N	38.2	325 (336.0)	N/A	N/A	N/A	RNAV 1 or RNP 1	1.0
30	LIXIM	S 51°40'11.66" W 068°57'43.98"	TF	N	33.2	345 (356.0)	N/A	+3000	-220	RNAV 1 or RNP 1	1.0
10	ORABO	S 50°42'38.00" W 069°32'18.00"	IF	N	N/A	N/A	N/A	N/A	N/A	RNAV 1 or RNP 1	1.0
20	WG136	S 50°55'07.23" W 068°58'41.97"	TF	N	24.7	110 (120.6)	N/A	N/A	N/A	RNAV 1 or RNP 1	1.0
30	ROLOX	S 51°21'02.08" W 068°56'00.44"	TF	N	26.0	166 (176.3)	N/A	N/A	N/A	RNAV 1 or RNP 1	1.0
40	SIPUR	S 51°30'50.73" W 068°59'03.33"	TF	N	10.0	181 (191.0)	N/A	+3000	-220	RNAV 1 or RNP 1	1.0

Fecha de diseño: DIC 2025

P. C. N. FERNÁNDEZ (SAWG)
RÍO GALLEGOS

STAR RNP RWY 08
DEVIS 2M - ORABO 1M - KADEB 2M - IRAVU 2M - MUBES 2M

Requiere Certificación Certification required				AD ELEV 57'		11° E (2026)  MSA 25 NM ARP
RNP 1 / RNAV 1 GNSS				TRANS ALT 3000'		
ATIS 127.60	GALLEGOS CTL 124.70 128.80		GALLEGOS TWR 119.40 118.80		EMERG 121.50	
NOTA: Nivel de Transición asignado por ATC.				NOTE: Transition level assigned by ATC.		



1/2 P. C. N. FERNÁNDEZ (SAWG) STAR RNP RWY 08
DEVIS 2M - ORABO 1M - KADEB 2M - IRAVU 2M - MUBES 2M

Seq Num	Fix Ident	Coordinates	Path Terminator	Fly Over	Distance (NM)	Course M°(T°)	Turn	Alt / Descr (ft/FL)	Speed Limit (Kt)	Navigation Specification	RNP
10	KADEB	S 50°43'05.00" W 068°59'56.00"	IF	N	N/A	N/A	N/A	N/A	N/A	RNAV 1 or RNP 1	1.0
20	NUXAX	S 50°58'53.25" W 069°12'21.40"	TF	N	17.7	196 (206.4)	N/A	N/A	N/A	RNAV 1 or RNP 1	1.0
30	WG501	S 51°14'43.12" W 069°24'57.68"	TF	N	17.7	196 (206.5)	N/A	N/A	N/A	RNAV 1 or RNP 1	1.0
40	SUMTO	S 51°32'47.47" W 069°39'33.08"	TF	N	20.3	196 (206.7)	N/A	+3000	-220	RNAV 1 or RNP 1	1.0
10	IRAVU	S 50°46'05.00" W 068°45'19.00"	IF	N	N/A	N/A	N/A	N/A	N/A	RNAV 1 or RNP 1	1.0
20	WG895	S 50°50'17.07" W 068°54'00.22"	TF	N	6.9	222 (232.6)	N/A	N/A	N/A	RNAV 1 or RNP 1	1.0
30	NUXAX	S 50°58'53.25" W 069°12'21.40"	TF	N	14.5	223 (233.3)	N/A	N/A	N/A	RNAV 1 or RNP 1	1.0
40	WG501	S 51°14'43.12" W 069°24'57.68"	TF	N	17.7	196 (206.5)	N/A	N/A	N/A	RNAV 1 or RNP 1	1.0
50	SUMTO	S 51°32'47.47" W 069°39'33.08"	TF	N	20.3	196 (206.5)	N/A	+3000	-220	RNAV 1 or RNP 1	1.0
10	MUBES	S 52°48'09.00" W 068°28'45.00"	IF	N	N/A	N/A	N/A	N/A	N/A	RNAV 1 or RNP 1	1.0

Fecha de diseño: DIC 2025

2/2 P. C. N. FERNÁNDEZ (SAWG) STAR RNP RWY 08 DEVIS 2M - ORABO 1M - KADEB 2M - IRAVU 2M - MUBES 2M											
Seq Num	Fix Ident	Coordinates	Path Terminator	Fly Over	Distance (NM)	Course M°(T°)	Turn	Alt / Descr (ft/FL)	Speed Limit (Kt)	Navigation Specification	RNP
20	ILTIP	S 52°13'18.00" W 068°54'02.00"	TF	N	38.2	325 (336.0)	N/A	N/A	N/A	RNAV 1 or RNP 1	1.0
30	ESPEV	S 51°42'09.22" W 069°38'30.53"	TF	N	41.6	307 (318.3)	N/A	+3000	-220	RNAV 1 or RNP 1	1.0
10	DEVIS	S 51°03'19.00" W 070°29'50.00"	IF	N	N/A	N/A	N/A	N/A	N/A	RNAV 1 or RNP 1	1.0
20	ANSIB	S 51°37'21.23" W 069°36'17.62"	TF	N	47.8	125 (135.8)	N/A	+2200	-180	RNAV 1 or RNP 1	1.0
10	ORABO	S 50°42'38.00" W 069°32'18.00"	IF	N	N/A	N/A	N/A	N/A	N/A	RNAV 1 or RNP 1	1.0
20	WG501	S 51°14'43.12" W 069°24'57.68"	TF	N	32.5	161 (171.8)	N/A	N/A	N/A	RNAV 1 or RNP 1	1.0
30	SUMTO	S 51°32'47.47" W 069°39'33.08"	TF	N	20.3	196 (206.5)	N/A	+3000	-220	RNAV 1 or RNP 1	1.0

Fecha de diseño: DIC 2025